

Product Data Sheet

ALUMINIUM STAIR PROFILE

Axter's Aluminium Stair Profile offers not only outstanding slip resistance, but also mechanical protection for stair edges.

Properties and advantages

- Offers optimum slip resistance.
- Efficiently prevents mechanical wear of stair edges.
- Easy to integration.

Areas of application

Depending on particular requirements, the edge protection can be combined with Axter waterproofing and surfacing systems. Please note our installation guidelines and detail drawings.

Dimensions


Length: 2.00m

Profile depth (top face): 4.10cm

Profile height (front face): 2.32cm

Storage

Store lying flat in a dry area and protected against moisture.



Application

If the entire area is to be waterproofed, the waterproofing system must already be installed before the edge protector can be bonded to the substrate.

Before the edge protector is fitted in place, the contact faces must be abraded mechanically and completely degreased with Starcoat PMMA Cleaner.

Starcoat PMMA Filler is used to bond the edge protector to the step. Please refer to the relevant product information sheet.

Use a small trowel to apply closely spaced spots of Starcoat PMMA Filler to the inside of the edge protector profile.

To achieve a flush interface with the edge profile, we recommend that you use Axter self-levelling mortar and Starcoat PMMA Coloured Sealer as the final wearing layer.

Use masking tape to prevent contamination of the edge protector during subsequent operations.

Axter Ltd reserves the right to modify and update this data at any time without prior notice. Only the latest version of this document is valid, available for download at www.axter.co.uk/downloads. Once downloaded, documents are uncontrolled. Users should always confirm they are referring to the latest version prior to use. Further assistance is available from Axter Ltd's Technical Support Team, email: technical@axtertd.co.uk, telephone: 01473 935008.

The intended use of this product should be verified with Axter Ltd prior to adoption to ensure its suitability and compliance with specifications, project requirements, industry regulations, legislation, good practice, installation techniques and all other relevant guidance. Axter Ltd accepts no liability for non-compliant use of this product.