



1.	Identification code	VAP ALU ADH
2.	Intended use	Bitumen air and water vapour control layers
3.	Manufacturer	IKO-AXTER, 6 rue Laferriere, 75009 PARIS, France www.axter.co.uk/downloads
4.	Authorised representative	N/A
5.	System of assessment and verification of constancy of performance of the product	System 3
6a.	Product covered by the	EN 13970
	harmonised standard	Declaration of the performance of the essential characteristics by the manufacturer
6b.	European Technical Assessment	N/A

7. Declared performance

Essential characterist	Performance				Harmonised		
			Value	Tolerance		Units	technical specification
		Min	Max				
Resistance to	Longitudinal		300	150		Ν	
tearing (nail shank)	Cross direction		300	150			
Tensile properties: maximum tensile	Longitudinal		550	300		N/50mm	EN 13970:2005/
force	Cross direction		350	250		N/30mm	
Tensile properties:	Longitudinal		15	5		%	
elongation	Cross direction		40	15		70	
Shear resistance	Maximum force	Selvedge	NPD	-	-	N/50mm	
of joint	Maximum lorce	End joint	NPD	-	-		
Flexibility at low temperature			NPD	≤		°C	A1:2007
Resistance to impact			NPD		mm		
Watertightness under 2 kPa			Conform			-	
Water vapour transmission properties			≥1000			m	
Durability EN 1296 Water vapour transmission		≥1000			m		
Durability EN 1847 Water vapour transmission		NPD			m		
Reaction to fire			NPD			-	
Dangerous substance	Note 1 and 2			-			

NA: Not applicable due to use of product.

NPD: No performance determined.

Note 1 : This product does not contain asbestos or tar constituents

Note 2 : In the absence of European harmonized test methods, verification and declaration on release/content has to be done taking into account national provisions in the place of use.

The performance of the product identified above is in conformity with the set of declared performance/s. In accordance with Regulation (EU) No 305/211, this declaration of performance is issued under the sole responsibility of the manufacturer identified.

Only the most recent published version of this document is valid, available at <u>www.axter.co.uk/downloads</u>. Once downloaded, documents are uncontrolled so users should always ensure they are referring to the latest version. Further assistance is available from Axter Ltd's Technical Support Team, email: <u>technical@axterltd.co.uk</u>.

Signed for and on behalf of the manufacturer by: Peter Fleischmann (Chairman)

/the

Paris 09/02/2024