





Identification code	ROLLSTICK 21 Bitumen air and water vapour control layers				
Intended use					
Manufacturer	AXTER SAS, 143 avenue de Verdun, 92130 Issy-les-Moulineaux, 75016 PARIS, France www.axter.eu/dop				
Authorised representative	N/A				
System of assessment and verification of constancy of performance of the product	System 3				
6a. Product covered by the harmonised standard:	EN 13970				
	Declaration of the performance of the essential characteristics by the manufacturer				
European Technical Assessment:	N/A				
	Intended use Manufacturer Authorised representative System of assessment and verification of constancy of performance of the product Product covered by the harmonised standard:				

Declared performance

Essential characteristics		Performance				Harmonised technical	
		Value	Tolerance		Units	specification	
				Min	Max		
Resistance to tearing (nail shank)	Longitudinal		80	50	150	N	
	Cross direction		80	50	150		
Tensile properties: maximum tensile	Longitudinal		250	200	550	N/50 mm	
force	Cross direction		150	120	350		
Tensile properties: elongation	Longitudinal		3	2	4	%	
	Cross direction		3	2	4	7 0	
Shear resistance of joint	Maximum force	Selvedge	PND	-	-	N/50mm	EN 13970:2005/
	iviaximum force	End joint	PND	-	-		
Flexibility at low temperature		-16	≤		°C	A1:2007	
Resistance to impact			500			mm	
Watertightness under 2 kPa		NA			-		
Water vapour transmission properties		285			m		
Durability EN 1296	Water vapour trans	290			m		
Durability EN 1847	Water vapour trans	PND			m		
Reaction to fire			PND			-	
Dangerous substances			Note 1 and 2			-	

NA: not applicable due to use of product. PND: Performance not determined.

Note 1: This product does not contain asbestos or tar constituents.

Note 2: In the absence of European harmonized test methods, verification and declaration on release/content has to be done taking into account national provisions in the place of use.

The performances of the product identified above are in conformity with the declared performances.

In accordance with Regulation (UE)n°305/2011, this declaration of performance is issued under the sole responsibility of the manufacturer identified.

Signed for and on behalf of the manufacturer by: Peter Fleischmann (Managing Director)

Paris 10/08/2018